




Mahur







BEGIN THE JOURNEY OF

RELIABILITY, SAFETY AND TECHNOLOGY

WITH ATUL ELECTRIC





POWERFUL
HEAD LIGHTS
FOR SAFE NIGHT DRIVING



TECHNICAL SPECIFICATIONS

VARIANTS	ATUL ENERGIE ²
	Performance
Payload	500
Certified Range	195
Maximum Speed	45
Charging Time (0 to 80%)	4 hrs*
Portable Charger	3 kW
	Battery Power Pack
Battery Type	Lithium-ion
Capacity	13.2 kWh
	Specification
Seating Capacity	Driver
Steering System	Handle Bar
Ground Clearance	215
Wheelbase	2125
Turning Radius	3.50 m
Gradeability	18%
Overall Length	3350
Overall Width	1510
Overall Height	1700
Gross Vehicle Weight	1030 kg
Kerb Weight	545 kg
Tyres	4.50-10
	Motor
Type	AC Synchronous Motor
Power Peak	9.9 kW @ 4500 rpm
Torque Peak	44 Nm @ 2500 rpm
	Brake System
Front & Rear	Hydraulic
	Suspension System
Front	Anti Dive Leading Link With Dual Action Telescopic Hydraulic Shock Absorber Helical Compression Coil Spring
Rear	Trailing Arm, Helical Compression With Coil Spring Telescopic Shock Absorber
	Technology
Battery Thermal Management System	Active Intelligent Cooling
Regenerative Braking	Efficient Energy Recovery
Vehicle Telemetry System	Atul Intelligence (AI) Platform
IP 67 Rated Components	Motor, Charger, Battery & All connectors

RIDE ON GAINS WITH ATUL ELECTRIC

LOW MAINTENANCE GREATER MILEAGE





ATUL GREENTECH PVT. LTD.

Rajkot - Ahmedabad Highway, Bhayla, Ahmedabad - 382220 | Gujarat | India CIN: U31909GJ20 20PTC112350 Mobile: +91 7486001597 E-mail: Info@atulgreentech.co.in Web: www.atulgreentech.co.in **Authorised Dealer**

*Conditions